
### **EMT Protocols - TKM®**

(EMT = Emergency Integrative Medicine Techniques / TKM® = The King Method®)
Provided For USA Armed Forces Only
By Glenn T. King, PhD, CDN, CN and King Institute Ministries


# Stop Bleeding and Seal the wound (S&S) – internal and external



Left hand over right hand as close to the wound as possible Right hand MUST be placed down first!

Center of Palm is the focal point.


NO PRESSURE REQUIRED!



Place left hand on right calf and right hand on left calf – No pressure. Fingers are together (pointed towards head) and palms on largest part of the calves.

© Copyright 2005, 2020, Proprietary, Process & All Rights Reserved by King Institute, LLC. Dallas, TX 214-731-9795

# TKM® Energy Sphere Locations Bilaterally



© Copyright 2005, 2020, Proprietary, Process & All Rights Reserved by King Institute, LLC. Dallas, TX

#### Abreviations:

ss = Same side of the body (e.g.: 15 ss 6 = hold 15 & same side of body 6) opp = Opposite side of the body (e.g.: 3 opp 13 = hold 3 & opposite side of body 13)

L = Left hand (exception when a number follows: L5 = Left side of body 5)

R = Right Hand (exception when a number follows: R5 = Right side of body 5)

Center = midline of the body or median of the body

Both = hold left and right sides at same time or apply left side then right side

Note: Every application involves a position for each hand. All applications need 2 hands Vital: Watches and batteries greatly inhibit effectiveness, esp. for acute situations.

© Copyright 2005, 2020, Proprietary, Process & All Rights Reserved by King Institute, LLC. Dallas, TX

#### EMT Protocols - TKM®

Alert, to maintain – both 25's or R to L5. L to L8

Antibiotic & Immune – 15 ss 6 then 15 ss 3 (both sides) or 3 opp 13

Anaphylactic Shock – T1 (base of neck) & Center of 22's

Appendicitis, Acute – R11 & R25, then L2 (repeat as needed)

Asthma attack or breathing – T3 & both middle fingers (loop thumb/ring fingers when running)

Bleeding – R palm on, left hand over right at 90° angle (as close to wound as possible)

Bone, broken – 15ss6 then L to 15 ss R to break

Burns – palm the calves L palm to R calf, R palm to L calf (minimum 30 minutes)

Choking - Grasp firmly High 1's

Constipation – L8 ss 11

Cools – L8 ss 11

Cramps, Leg – 15 ss 6 or 15 ss 8, any cramps – 23 ss 5 or 12 ss 25

Diarrhea - R8 ss 11

Digestion – 21 ss 22 or 23 ss 22 Energy, replenish – 10 opp 1 or tip of coccyx & 5

Environment, adjust or Jet lag – 22 ss 15 (both sides)

Extraction – L palm on, right hand over left at 90° (toxins/snake bite/bee sting/objects/shrapnel)

Fatigue – 24 opp 26 or tip of coccyx & 5

Fear – 15 ss 5 or 19 opp Hi1 or index finger(s)

Fever – 15 ss 6 then 15 ss 3, repeat L&R until fever breaks

Heart Attack – Hold center of 10's (T-5) & L -little finger

Hiccups – 14's

Hysteria – L to T5 & R to center of 13's

Insomnia – 18 opp 15 (do both sides as needed, begin with L18) or tip of coccyx & 5

Lungs, fluid on – cradle L & R 4's & hold both ring fingers

Nausea – both High 1's, or 18 opp 15 (do both sides as needed, begin with L18)

Pain, mild general – 17 opp 15

Pain, Acute – Step 1 - Assistant R to L20 & L to R20

Recipient R to R14 & L to L14, then

Step 2 – Assistant R to Sternum (bottom tip) & L to pubic bone (top center)

Recipient R to R15 & L to L15

Parasites – 23 ss 5 or 2 opp high1

Seizure – firmly grasp both thumbs, hold until completely alleviated

Shock – Palm the calves

Sore Throat – 3 opp 13

Toothache – 11 opp index finger

Virus – 23 ss 22 or 15 ss 6 then 15 ss 3 (both sides)

Warms – R8 ss 11 **Provided For USA Armed Forces Only** 

© Copyright 2005, 2020, Proprietary, Process & All Rights Reserved by King Institute, LLC. Dallas, TX

### **Median Application**

## Alertness, Stamina and Immune Stimulator (Rejuvenation as well as Rest)

**Preparation:** Sit, stand or lay in a comfortable position. Optimal results: remove metallic objects and batteries from body.

**Length of time:** Hold each step a minimum of 4 -5 minutes, or up to 20 minutes if needed. **Application:** Apply with pads of fingers (palm side) of index, middle, & ring to each location. Or,

vou may use all finger-pads for better contact.

**Always** hold two locations when applying any step, one with each hand.

Important: No Pressure necessary! In fact, it can inhibit the process. Only contact is needed. When to apply: When possible, first in morning and last of the day. Although, it can be applied at any time.

#### **Application Steps:**

Procedure Locations
For the <u>Hands</u> (to) On the <u>Body</u>

step 1 Right fingers to Top center of Head
and Left fingers to Center of the Forehead
(above and between eyebrows)

step 2 Left fingers to Nose (Tip - light touch)

Note: Right remains on head until step 8.

step 3 Left fingers to Center of Collar Bone (center on interclavicle notch)


step 4 Left fingers to Center of the Chest (on sternum at center of gladiolus)

step 5 Left fingers to Bottom of Sternum (tip of sternum, ensiform or xiphoid appendix) 7th LEFT step 6 Left fingers to Umbilicus (Navel)

step 7 Left fingers to Center of Pubic Bone

step 7 Left fingers to Center of Pubic Bone (above & against top center of pubic bone)

step 8 Right fingers to Coccyx (tip of tail bone)
(Note: Left hand remains on step 7 during step 8)



RIGHT

**Purpose for application:** Stamina, strength, alertness, immune stimulator, Central nervous system, all organs, calms mental, stress, relaxes body, rejuvenate, helps healing process of all wounds, calms fear, insomnia, quick rest, strengthens, an excellent preventative procedure which helps most physical, mental and emotional functions.

© Copyright 1995, 2020, Proprietary, Process and All Rights Reserved. King Institute, LLC Dallas, TX (214) 731-9795 www.kinginstitute.org

Provided For USA Armed Forces Only